

SOLSHARE DISTRIBUTION

Bedankt . dat je hebt gekozen voor een AlphaESS thuisbatterij

CAPTURING ENERGY, FOR A CLEANER FUTURE



Hoe installeer je de AlphaCloud app ?

Op de volgende pagina's leggen we dit stap voor stap uit









Stap 1:

De eerste stap is het downloaden van de app. Ga hiervoor op je tablet of smartphone naar de Appstore of Playstore. Download en installeer de AlphaESS app. Heb je geen tablet of smartphone, dan kun je ook je desktop (browser) gebruiken. Ga dan naar : <u>https://cloud.alphaess.com/login</u> (volg vervolgens dezelfde stappen als hier beschreven)



Stap 2:

De volgende stap is registratie. Omdat je een nieuwe gebruiker bent kies je voor Register Kies vervolgens voor: End user Registration





Stap 3:

Vul je email adres in en kies een wachtwoord Zet een vinkje bij I agree en klik op Next





Vul het Product serienummer (S/N) in en de Check Code van je system. Dit zijn verplichte velden.

Stap 4:

Zowel het Serienummer als de Check Code vindt je op de sticker op de AlphaESS batterijomvormer. Vind je deze nu niet, stuur dan een mail naar <u>support@solshare.nl</u> of bel met 085 00 35 300 en kies voor de servicedesk.



Mar. PV Ingue Range 1000 Vd G Mar. PV Ingue Range 100 PO Vd G Mar. PV Ingue Range 24 / 24 / 24 Ad c Batery Type 24 / 24 / 24 Ad c Batery Vitage Range 00 700 Vd G Rand Charge / Discharge Current 40 Ad c / 40 Ad c Rand Charge / Discharge Current 40 Ad c / 40 Ad c Rand Charge / Discharge Current 40 Ad c / 40 Ad c Rand Charge / Discharge Current 40 Ad c / 40 Ad c Rand Charge / Discharge Current 40 Ad c / 40 Ad c Rand Charge / Discharge Current 40 Ad c / 40 Ad c Rand Odiput / Dover 10 8V Rand Odiput / Dover 10 8	Max. PV Input Valuppi Rampi 1000 VV 6 Max. PV Input Valuppi Rampi 100 VV 6 Max. PV Input Valuppi Rampi 24 / 24 / 24 Ad c Battery Type 24 / 24 / 24 Ad c Battery Vyolappi Rampi 90 - 700 Vd c Ramed Change / Duckturge Current 40 Ad c: 40 Ad c Order 0.000 Vd c Ramed Voltapi 30.497 E: 207 / 400 Va c Ramed Voltapi 30.497 E: 207 / 400 Va c Ramed Voltapi 30.497 E: 207 / 400 Va c Ramed Voltapi 30.497 E: 207 / 400 Va c Ramed Voltapi 30.497 E: 207 / 400 Va c Ramed Voltapi 30.497 E: 207 / 400 Va c Ramed Voltapi 0.000 Va c	<form></form>	<form></form>	Max. PV (papt Voltage 1000 V/sc. Max. PV (papt Correct) 197 (161 / 64 / 62 Nac. PV (papt Correct) 197 (161 / 64 / 62 Nac. PV (papt Correct) 247 / 24 / 24 / 44 / 64 Battery (Type) LPP (Lift#PCA) Battery (Type) LPP (Lift#PCA) Battery (Type) UPP (Lift#PCA)	
MPF1 Valgage Range 140 - 950 Vdc Mar. PV 24 / 34 / 24 Ada Battery Npar (Cortput) 84 / 150 Ada Battery Npar (Cortput) 84 / 150 Ada Battery Valgage Range 09 - 700 Vdc Rando Charger Discharge Current 40 Ada / 60 Ada Grid Output) 84 / 150 Ada Rando Charger Discharge Current 10 Ada / 60 Ada Grid Output) 10 NVF Rando Charger Discharge Current 10 Ada / 60 Ada Power Factor Range 00 a Cap - 0.6 Ind Backer Output 00 Ada - 0.6 Ind Rando Charger Discharge Current 14 5 Ada C Power Factor Range 00 a Cap - 0.6 Ind Backer Origunerol 14 5 Ada C Rando Cortput 14 5 Ada C Rando Tingunerol 10 SOV Rando Cortput	MPPT Voltage Range 140 - 850 Vdc Max PV Vinget Current 197 16 Max Nac PV Vinget Current 24 724 724 Ada c Battery Yope UPP LittlePO4)		<form></form>	MPP1 Volkage Range 140 - 850 V/dc Battery Pryce 24 / 24 / 24 / 24 / 24 / 24 Battery Tryne EP (UnFePC4) Battery Tryne 00 - 700 V/dc Ratter Grage Tourse 00 - 700 V/dc Ratter Grage Tourse 00 / 60 / dc Ratter Charge Tourse 00 / 60 / dc Protection Class 10 / / / C III Protection Class 10 / / / C III Protection Class 10 / / / C III Ratter Charge Tourse 10 / / / / / C III <t< td=""><td></td></t<>	
Max. PV / Inpl. Current 19 / 16 / 16 Adc Ist PV 24 / 34 / 32 Adc Battery Tayle 10 / 20 / 20 / 30 / 30 Battery Tayle 00 / 20 / 30 / 30 Rated Charge / Discharge Current 40 Adc / 40 Adc Grade Charge / Discharge Current 40 Adc / 40 Adc Rated Charge / Discharge Current 40 Adc / 40 Adc Rated Charge / Discharge Current 40 Adc / 40 Adc Rated Charge / Discharge Current 10 XW Rated Charge / Discharge Current 10 XW Rated Charge / Discharge Carrent 10 XW Rated Colguid Power 10 XW Rated Current 14 5 Aac Power Factor Range 0 / 00 / 12 / 00 / 14 Rated Output Power 10 XW Rated Output Power 10 XW <td>Max. PV lipsic Current 19/16/16/86.cl Her PV 24/24/84.dc Battery Topic UPP (Liffe/D04) Battery Volge Range 09.700/44.cl Rated Charge Tbickings Current 40/84.cl Grid Oxlput Battery Volge Range Rated Charge Tbickings Current 40/84.cl Rated Charge Tbickings Current 40/84.cl Rated Charge Tbickings Current 40/84.cl Rated Current 14.5 Aa.cl Rated Current 14.5 Aa.cl Rated Current 14.5 Aa.cl Rated Current 14.5 Aa.cl Power Factor Range 0.6 cap-0.8 nd Rated Current 14.5 Aa.cl System 10.8W Poster Factor Range 0.6 cap-0.8 nd Battery Oligoy Transformeress Ingress Protection 10.8W Were Work 10.8W Were Were 10.9W Were Were Were 10.9W Were Were Were Were Were Were Were Were</td> <td></td> <td>Max: PV input Current 19 / 19 / 16 Add. Bettery Tyrin IPP (LiFelPO4) Bettery Tyring IPP (LiFelPO4) Rated Charge IPP (LiFelPO4)</td> <td>Mar. PV Input Current 161 161 16 Ad.c. Battery Type 127 24 / 24 Ad.ad.c. Battery Type 127 24 / 24 Ad.c. Battery Vottage Range 00 - 700 vd.c. Rated Charge / Discharge Current 40 Ad.c. / 40 Ad.c. Graded Frequency 90 Ad.c. / 40 Ad.c. Rated Collapt 13 MV Rated Collapt Power 10 N/A Rated Collapt Power <</td> <td></td>	Max. PV lipsic Current 19/16/16/86.cl Her PV 24/24/84.dc Battery Topic UPP (Liffe/D04) Battery Volge Range 09.700/44.cl Rated Charge Tbickings Current 40/84.cl Grid Oxlput Battery Volge Range Rated Charge Tbickings Current 40/84.cl Rated Charge Tbickings Current 40/84.cl Rated Charge Tbickings Current 40/84.cl Rated Current 14.5 Aa.cl Rated Current 14.5 Aa.cl Rated Current 14.5 Aa.cl Rated Current 14.5 Aa.cl Power Factor Range 0.6 cap-0.8 nd Rated Current 14.5 Aa.cl System 10.8W Poster Factor Range 0.6 cap-0.8 nd Battery Oligoy Transformeress Ingress Protection 10.8W Were Work 10.8W Were Were 10.9W Were Were Were 10.9W Were Were Were Were Were Were Were Were		Max: PV input Current 19 / 19 / 16 Add. Bettery Tyrin IPP (LiFelPO4) Bettery Tyring IPP (LiFelPO4) Rated Charge IPP (LiFelPO4)	Mar. PV Input Current 161 161 16 Ad.c. Battery Type 127 24 / 24 Ad.ad.c. Battery Type 127 24 / 24 Ad.c. Battery Vottage Range 00 - 700 vd.c. Rated Charge / Discharge Current 40 Ad.c. / 40 Ad.c. Graded Frequency 90 Ad.c. / 40 Ad.c. Rated Collapt 13 MV Rated Collapt Power 10 N/A Rated Collapt Power <	
Isc Pr/ 24/24/24/Adc. Battery Type L/P (L/#APC4) Battery Type L/P (L/#APC4) Battery Type L/P (L/#APC4) Rated Charge Therbarge Current 40.46.7.40.46.c Grid Output Rated Charge Therbarge Current 40.46.7.40.40.c Rated Charge Therbarge Current 50.7.60.14c Rated Charge Therbarge Current Rated Charge Therbarge Current 10.44.6.7.40.00.Vac Rated Apparent Drover Rated Coursent 10.45.7.40.0 Rated Apparent Drover 10.9.W Rated Coursent 14.5.40.c Rated Apparent Drover 10.9.W Rated Coursent 14.5.40.c Rated Apparent Drover 10.8.W Rated Coursent 14.5.40.c Rated Coursent 14.5.40.c Poeter Factor Rategie 0.6.00 Hz Rated Current 14.5.40.c Pated Coursent 14.5.40.c Rated Coursent Image Protection Image Protection Poeterian Class 1 One Image Protection Image Protection Image Protection Image Protection Postection Class 1 One Image Protection Image Protection Image Protection Image Pro	Her Pr/ 24/24/24 Ad.c. Battery Type UP (UIF#P04) Battery Yong 09.700 Vid.d. Rated Charge / Discharge Current 40.42 c: 40.46 c. Grid Oxlgut Rated Charge / Discharge Current 40.42 c: 40.46 c. Grid Oxlgut Rated Charge / Discharge Current 40.42 c: 40.46 c. Rated Frequency 50/60 Hz Rated Charge / Discharge Current Rated Charger / Discharge Current 10.5W Rated Charger / Discharge Current Rated Charger / Discharge Current 10.5 As c. Power / Batter / Power Rated Charger / Discharge / Discharge Current 14.5 As c. Power / Batter / Power Rated Charger / Discharge / Discharge / Discharge Discharge / Discharge / Discharge / Discharge Discharge / Dischar	we Pr 24 / 24 / 24 A Adv. Battery Type (FP / Life/PO4) Battery Yote 90 / 700 / 46. Rate Ocharge / Oscharage Current 40 Adv. / 40 Adv. Grid Output UNMPE; 230 / 400 / 94. Rated Output UNMPE; 230 / 400 / 94. Rated Output 0.90 / 90 / 94. Rated Strategery 0.01 / 1.01 Topology Transformeries Jose Protection P68 Rate Strategery 0.01 / 1.01 Topology Transformeries Jose Protection P68 Rate Gurent 14.5 Aac System 0.01 / 1.01 Topology Transformeries <td< td=""><td>Import 24 / 24 / 24 / 24 / 24 / 24 / 24 / 24 /</td><td>Ist FP 24 / 24 / 24 Adv.c. Battery Type IFP (LifterP24) Battery Type 90 - 700 Vd.c. Rated Charge / Discharge Current 90 - 700 Vd.c. Rated Charge / Discharge Current 90 - 700 Vd.c. Rated Charge / Discharge Current 90 - 700 Vd.c. Rated Charge / Discharge Current 90 - 700 Vd.c. Rated Charge / Discharge Current 90 - 700 Vd.c. Rated Corport 90 - 700 Vd.c. Rated Ageneric Power 10 VV. Rated Corrent 14 5 Aa.c. Power Factor Range 0.0 cop - 0.8 ind Backer Corrent 14 5 Aa.c. Power Factor Range 0.0 cop - 0.8 ind Backer Corrent 14 5 Aa.c. Power Factor Range 0.0 cop - 0.8 ind Backer Corrent 14 5 Aa.c. Power Factor Range 0.0 cop - 0.8 ind Backer Corrent 14 5 Aa.c. Power Factor Range 0.0 cop - 0.8 ind Backer Corrent 14 5 Aa.c. Power Collas Image Company Power Class Image Company Power Class Image Company Power Class Image Compa</td><td></td></td<>	Import 24 / 24 / 24 / 24 / 24 / 24 / 24 / 24 /	Ist FP 24 / 24 / 24 Adv.c. Battery Type IFP (LifterP24) Battery Type 90 - 700 Vd.c. Rated Charge / Discharge Current 90 - 700 Vd.c. Rated Charge / Discharge Current 90 - 700 Vd.c. Rated Charge / Discharge Current 90 - 700 Vd.c. Rated Charge / Discharge Current 90 - 700 Vd.c. Rated Charge / Discharge Current 90 - 700 Vd.c. Rated Corport 90 - 700 Vd.c. Rated Ageneric Power 10 VV. Rated Corrent 14 5 Aa.c. Power Factor Range 0.0 cop - 0.8 ind Backer Corrent 14 5 Aa.c. Power Factor Range 0.0 cop - 0.8 ind Backer Corrent 14 5 Aa.c. Power Factor Range 0.0 cop - 0.8 ind Backer Corrent 14 5 Aa.c. Power Factor Range 0.0 cop - 0.8 ind Backer Corrent 14 5 Aa.c. Power Factor Range 0.0 cop - 0.8 ind Backer Corrent 14 5 Aa.c. Power Collas Image Company Power Class Image Company Power Class Image Company Power Class Image Compa	
Battery Type UP (UFePC4) Battery Type UP (UFePC4) Battery Yonge Fonctange Current 40 Ad c. 40 Ad c. Grid Output 3J.NPE, 230 / 400 Vac. Rated Votage Fonctange Current 40 Ad c. 40 Ad c. Grid Output 3J.NPE, 230 / 400 Vac. Rated Output Power 10 KW Rated Output Power 14 S Aa c Protection Class 1 Protection	Battery Input Battery Volugie Range Battery Volagie Range 40 Ad c : 40 Ad c. Grid Oxtput 40 Ad c : 40 Ad c. Rate Oxtput 50 : 700 Vid c. Rate Oxtput 10 swi Rate Oxtput 14 S Aa c. Backup Oxtput 20 : 60 fol tit Rate Oxtput 20 : 60 fol tit Rate Oxtput 20 : 60 fol tit Rate Oxtput 20 : 70 : 70 : 70 : 70 : 70	Better ynyn EPP (LifePC) Barer Yotage Range 90 - 700 Vic. Barer State Ranger 90 - 60 Fic Barer Yotage Range 90 ago - 0 8nd Barer Yotage Range 90 ago - 0 8nd Barer State Ranger 90 ago - 0 8nd Barer State Range 10 ago - 0 8nd Barer State State Range 10 ago - 0 8nd<	Bettery Type UPP (UPPPQ) Bettery Yonge Range 90:700 Vd.2 Reed Charge Current 40 Ad.c. 40 Ad.c. Reed Charge Current 40 Ad.c. 40 Ad.c. Reed Charge Current 10 WA Reed Charge Current 10 WA Reed Charge Current 10 SA Reed Charge Current 10 SA Reed Charge Current 14 SA ac. Poer Factor Range 0.0 cap - 0.0 Id Reed Current 14 SA ac. Poer Carge Cargon 10 WV Reed Current 14 SA ac. Poer Carge Cargon 10 WV Reed Current 14 SA ac. Poer Carge Cargon 10 WV Reed Current 14 SA ac. Poer Carge Cargon 10 WV Reed Current 14 SA ac. Poer Carge Cargon 10 WV Reed Current 14 SA ac. Poer Carge Cargon 10 WV Reed Current 14 SA ac. Poer Carge Cargon 10 WV Reed Current 14 SA ac. Poer Carge Cargon 10 WV Reed Curent 10 WV	Battery Input / Output Battery Yottage Range 90 - 700 Vd.6 Rated Charge / Oscharge Current 40 Ad.c. / 40 Ad.c. Grid Output Rated Charge / Oscharge Current 40 Ad.c. / 40 Ad.c. Rated Charge / Oscharge Current 40 Ad.c. / 40 Ad.c. Rated Oscharge / Oscharge Current 10 NV Rated Tenguency 90 - 700 Vd.c. Rated Oscharge Current 10 SW Rated Oscharge Current 10 SW Rated Accurrent Power 10 SW Rated Current 14 S Aa.c. Power Factor Range 0.8 cap0.8 and Backup Output Rated Current Rated Current 14 S Aa.c. Power Factor Range 0.6 Ort Rated Current 14 S Aa.c. Power Factor Range 0.6 Ort Rated Current 14 S Aa.c. Power Factor Range 0.6 Ort Rated Current 14 S Aa.c. Power Factor Range 0.6 Ort Rated Current 14 S Aa.c. Power Factor Range 0.6 Ort Rated Current 19 SW Rated Current 19 SW Power Factor Ran	
Battery Type UP (UFBP04) Battery Type UP (UFBP04) Rated Charge / Dincharge Current 40 Ad c / 40 Ad c Grid Output Battery Type Rated Vatage / Dincharge Current 40 Ad c / 40 Ad c Grid Output Battery Type Rated Vatage 31.NPE, 230 / 400 Val c Rated Vatage 10 KW Rated Output Power 10 KW Rated Current 14 S Aa c Stress Protection UPS Protection UPS Rated Current 14 S Aa c Stress Protection UPS Protection UPS <t< td=""><td>Battery Type 99:70 Voids Rated Charge / Discharge Current 40 Ad c : 40 Ad c Grid Oxigati 30.49FE; 230 / 400 Va.c Rated Charge / Discharge Current 40 Ad c : 40 Ad c Rated Charge / Discharge Current 40 Ad c : 40 Ad c Rated Charge / Discharge Current 10 SW Rated Columnt 14 S Aa c Power Factor Range 0 S Cap : 0 8 nd Bastery Vym 90 / 60 142 Rated Columnt 14 S Aa c Power Factor Range 0 S Cap : 0 8 nd Digots // Brower 10 SW Rated Columnt 14 S Aa c Power Factor Range 0 S Cap : 0 S1 Ad BOD / 16 Digots // Brower 10 SW Columnt 10 SW Columnt 10 SW Columnt 10 SW Columnt 10 SW Digots // Brower 10 SW Columnt 10 SW Digots // Brower 10 SW Digots // Brower 10 SW</td><td>Bartery Yotinge Range PF / L/F#PU/9) Rated Voltage / Discharge Current 40 Ad c / 40 Ad c Grad Dupti Bus Voltage / Discharge Current 40 Ad c / 40 Ad c Rated Voltage / Discharge Current 40 Ad c / 40 Ad c Rated Voltage / Discharge Current 40 Ad c / 40 Ad c Rated Voltage / Discharge Current 40 Ad c / 40 Ad c Rated Voltage / Power 10 SVA Rated Organ Power 10 SVA</td><td></td><td>Battery Type Range U.P. (Life/PO4) Battery Yotage Range 0.7 00 Vd.c Rated Charger / Discharge Current 40.Ad.c / 40.Ad.c Grid Output 31.NPE; 230 / 400 Vd.c Rated Voltage / Discharge Current 40.Ad.c / 40.Ad.c Rated Voltage / Discharge Current 50 / 60 Hz Rated Current 10.5 An.c Power Factor Range 0.8 Gap - 0.8 md Power Factor Range 0.6 Gap - 0.0 md Rated Output Power 14.5 An.c Power Factor Class 1 Overoidage Calegory Di II / AC III Topology Di I/ AC III Topology</td><td></td></t<>	Battery Type 99:70 Voids Rated Charge / Discharge Current 40 Ad c : 40 Ad c Grid Oxigati 30.49FE; 230 / 400 Va.c Rated Charge / Discharge Current 40 Ad c : 40 Ad c Rated Charge / Discharge Current 40 Ad c : 40 Ad c Rated Charge / Discharge Current 10 SW Rated Columnt 14 S Aa c Power Factor Range 0 S Cap : 0 8 nd Bastery Vym 90 / 60 142 Rated Columnt 14 S Aa c Power Factor Range 0 S Cap : 0 8 nd Digots // Brower 10 SW Rated Columnt 14 S Aa c Power Factor Range 0 S Cap : 0 S1 Ad BOD / 16 Digots // Brower 10 SW Columnt 10 SW Columnt 10 SW Columnt 10 SW Columnt 10 SW Digots // Brower 10 SW Columnt 10 SW Digots // Brower 10 SW Digots // Brower 10 SW	Bartery Yotinge Range PF / L/F#PU/9) Rated Voltage / Discharge Current 40 Ad c / 40 Ad c Grad Dupti Bus Voltage / Discharge Current 40 Ad c / 40 Ad c Rated Voltage / Discharge Current 40 Ad c / 40 Ad c Rated Voltage / Discharge Current 40 Ad c / 40 Ad c Rated Voltage / Discharge Current 40 Ad c / 40 Ad c Rated Voltage / Power 10 SVA Rated Organ Power 10 SVA		Battery Type Range U.P. (Life/PO4) Battery Yotage Range 0.7 00 Vd.c Rated Charger / Discharge Current 40.Ad.c / 40.Ad.c Grid Output 31.NPE; 230 / 400 Vd.c Rated Voltage / Discharge Current 40.Ad.c / 40.Ad.c Rated Voltage / Discharge Current 50 / 60 Hz Rated Current 10.5 An.c Power Factor Range 0.8 Gap - 0.8 md Power Factor Range 0.6 Gap - 0.0 md Rated Output Power 14.5 An.c Power Factor Class 1 Overoidage Calegory Di II / AC III Topology Di I/ AC III Topology	
Battery Vidage Parage 90 - 700 Vid. Rad Charger 30.NPE (2.30) 440 Via.c. Rad Vidage 30.NPE (2.30) 440 Via.c. Rad Vidage 10 KW Rad Output 10 KW Rade Output	Battery Voltage Bargie 99 - 700 Vid. Rated Charge / Discharge Current 40 Ad.c. / 40 Ad.c. Grid Oxlput Rated Voltage Rated Voltage JULYFE, 200 / 400 Via.e. Rated Voltage JULYFE, 200 / 400 Via.e. Rated Colgut / Nower 10 WA Rated Colgut / Reset of Nage 0.2 co. 9 And Rated Colgut / Reset of Nage 0.2 co. 9 And Rated Colgut / Reset of Nage 0.2 co. 9 And Rated Colgut / Reset of Nage 0.2 co. 9 And Rated Colgut / Nower 10 SW Opology Transformeries Ingress Protection IPPS Non Collog Jampus Province, ZS300, PR. China IPP EMAL IPM I IPM I Ingress Protection IPR I IPR Ingress Protection <	Battery Yotage Range 09 - 700 Yd.cl Chal Chargey Churcher 40 Ad.c.' 40 Ad.cl Chal Chargey Churcher 40 Ad.c.' 400 Yd.cl Rand Chargey Churcher 10 WHE: 220 / 400 Yd.cl Rand Chargey Churcher 10 WH Rand Chargey Churcher 10 SM Rand Chargey Churcher	Bettery Volge Parent 90 - 700 Via. Read Charge / Dacharge Current 40 Ad.c.? 40 Ad.c. Read Charge / Dacharge Current 40 Ad.c.? 40 Ad.c. Read Charge / Dacharge Current 19 W/A Read Charge / Docharge Current 19 W/A Read Charge / Docharge Current 14 5 Aa.c. Read Charge / Doce 19 W/A Read Charge / Doce 10 W/A <td>Betery Yotage Range 90 - 700 V/d c Rated Charge / Discharge Current 40 Ad c / 40 Ad c Grid Output 31.NPE: 230 / 400 V/a c Rated Yotage 50 / 60 Hz Rated Output 90 / 700 V/a c Rated Output 90 / 60 Hz Rated Output 0.8 cap - 0.8 ind Rated Output 0.8 cap - 0.8 ind Rated Output 90 / 60 Hz Rated Output Power 10 XV Rated Output Power 10 X</td> <td></td>	Betery Yotage Range 90 - 700 V/d c Rated Charge / Discharge Current 40 Ad c / 40 Ad c Grid Output 31.NPE: 230 / 400 V/a c Rated Yotage 50 / 60 Hz Rated Output 90 / 700 V/a c Rated Output 90 / 60 Hz Rated Output 0.8 cap - 0.8 ind Rated Output 0.8 cap - 0.8 ind Rated Output 90 / 60 Hz Rated Output Power 10 XV Rated Output Power 10 X	
Raset Charge / Discharge Current 40 Ad c / 40 Ad c Parket Voltage 34 NPE, 230 / 400 Vac. Raset do Current 50 / 60 Hz Raset Apparent Power 10 KW Rased Current 14 5 Aac Power Factor Class 1 Protection 16 ZW Rase Current 14 5 Aac Power Statt Statt 10 ZW Raset Current 14 5 Aac Power Statt Statt 10 ZW Raset Current 14 5 Aac Power Statt Statt 20 ZW Raset Councet 20 ZW Raset Statt 20 ZW Raset Statt 20 ZW	Rate: Charge: BLANDER: Rate: Charge: BLANDE: SUMPE: Rate: Charge: BLANDE: SUMPE: SUMPE: Rate: Charge: BLANDE: SUMPE:	Rest Oruge / Originarys Current 40 Ad 2 / 40 Ad 2 Rest Voltage 3U.NPE; 220 / 400 Via.ch Rest Voltage 10 WV Rest Oruge / Oroge 0 B VV		Read Charge Content 40 Ad c / 40 Ad c Grid Output 30.NPE, 220 / 400 Vac Read Voltage 50 / 60 Hz Read Charge / Dockarge Content 40 Ad c / 40 Ad c Read Charge / Dockarge Content 50 / 60 Hz Read Charge / Dockarge Content 10 S VM Read Charge / Dockarge Content 10 S VM Read Charge / Dockarge Content 10 S VM Read Output / Dower 10 S VM Read Outp	
Grid Ovippil 1000000000000000000000000000000000000	Grid Durput SUMPE: 230 / 400 V/a c. Rated Voltage SUMPE: 230 / 400 V/a c. Rated Cuprent Power 103 V/A Rated Cuprent Power 103 V/A Rated Current 14.5 Aa c. Power 0.50 / 42 Rated Current 14.5 Aa c. Power 10.5 V/A Rated Current 14.5 Aa c. Power 10.6 V/A C. Rated Current 14.5 Aa c. Power 10.5 V/A C. Rated Current 14.5 Aa c. Power 10.5 V/A C. Rated Current 14.5 Aa c. Power 10.5 V/A C. Power 10.5 V/A C. Power 10.5 V/A C. Power 10.	Grid Ontput Burnetic Journal of Control Named Voltaging Burnetic Journal of Control Named Original Power 19 N/M Named Fragmenicio 96 Sen / 0 Bind Named Original Power 19 N/M Named Power 19 N/M	Sind Order Sinder Control Rindo Vindage Sinder E 2007 400 Visc Rindo Vindage 19 XVI Rindo Vindage 10 XV	Grid Output NUMPE_2201 400 Via € Rand Vitaging 50 / 60 Viz Rand Vitaging 50 / 60 Viz Rand Output 10 XW Rand Output 10 XW Rand Output 10 XW Rand Output 0.8 and 0.0 and 0.	
Mind voltage 3J.AVPE, 230 / 400 Va.c. Rande Voltage 10 AVV Rande Voltage 10 AVV Rande Jongent Dever 10 KV Protection Class 1 Rande Jongent Deve 10 KV Rande Jongent Deve 10 KV Rande Jongent Deve 10 KV Rande Jongent Deve	Marke Volgage 3LNPFE, 230 / 460 Var.e. Rated Volgage 3LNPFE, 230 / 460 Var.e. Rated Output Power 10 WV Rated Output Power 10 VVA Rated Output Power 10 VVA Rated Output Power 10 VVA Rated Output Power 0.8 cap. 0.8 nd Boxer Factor Range 0.8 cap. 0.8 nd Rated Output Power 10 VVA Rated Output Power 10 VVA Rated Output Power 10 VA Rated Output Power 0 VA <td>Number Burker Burker</td> <td>Number SUMPE 201 400 Valar Reed Voltage 10 VA 10 VA Reed Corpeater Power 10 VA 10 VA Reed Corpeater Power 10 VA 10 VA Reed Corpeater Power 10 VA 10 VA Reed Voltage 0 E cape - 0 8 ind 10 VA Reed Voltage 0 VA 10 VA Reed Voltage 0 VA 10 VA Reed Voltage 0 VA 0 VA Notes Motion 0 VA</td> <td>Mind Voltage 3J.NIPE, 230 / 400 Va.c. Refed Frequency 50 / 60 / 4z Refed Frequency 50 / 60 / 4z Refed Culput Power 10 XW Refed Agarent Power 10 XW Refed Current 14 5 Aa.c. Power Factor Range 0.6 cap - 0.8 nd Beckup Output Refed Oppart Power Refed Oppart Power 10 XW Refer Frequency 50 / 60 / fz Power Factor Range 0.6 cap - 0.8 nd Boolecond Class 0.7 Month Power Factor Range 0.8 cap - 0.8 nd Power Factor Range 10 XW Refer Toguency Di II / AC III Togotogy Di II / AC III Togotogy Di II / AC III Togotogy Power Factor Range Power Factor Range Power Power Power Factor Range Power Power Factor Range Power Power Factor Range Power Power Factor Range Power Power Fact</td> <td></td>	Number Burker	Number SUMPE 201 400 Valar Reed Voltage 10 VA 10 VA Reed Corpeater Power 10 VA 10 VA Reed Corpeater Power 10 VA 10 VA Reed Corpeater Power 10 VA 10 VA Reed Voltage 0 E cape - 0 8 ind 10 VA Reed Voltage 0 VA 10 VA Reed Voltage 0 VA 10 VA Reed Voltage 0 VA 0 VA Notes Motion 0 VA	Mind Voltage 3J.NIPE, 230 / 400 Va.c. Refed Frequency 50 / 60 / 4z Refed Frequency 50 / 60 / 4z Refed Culput Power 10 XW Refed Agarent Power 10 XW Refed Current 14 5 Aa.c. Power Factor Range 0.6 cap - 0.8 nd Beckup Output Refed Oppart Power Refed Oppart Power 10 XW Refer Frequency 50 / 60 / fz Power Factor Range 0.6 cap - 0.8 nd Boolecond Class 0.7 Month Power Factor Range 0.8 cap - 0.8 nd Power Factor Range 10 XW Refer Toguency Di II / AC III Togotogy Di II / AC III Togotogy Di II / AC III Togotogy Power Factor Range Power Factor Range Power Power Power Factor Range Power Power Factor Range Power Power Factor Range Power Power Factor Range Power Power Fact	
Named Frequency 50 / 16 / 12 Raind Chiguin Provein 10 kW Raind Chiguin Provein 14 5 Aac Poet Factor Raing 0.6 aco. 0.6 ind Beckup Output 10 kW Raind Frequency 50 / 60 Hz Raind Frequency 50 / 60 Hz Raind Frequency 10 kW Raind States 10 kW Raind States 10 kW Raind States 10 kW <td>Index of requerers 0.00 K = 0</td> <td>Image frequency 00 160 Hz Rated Guptel Power 10 WV Rated Gupter Power 10 WV Rated Gupter Power 10 SVA Rated Frequency 50 560 Hz Rated Gupter Power 10 SVA Rated Gupter Power 10 SVA Rated Coupler Power 10 SVA Rated Coupler Power 10 SVA Rated Coupler Power 10 SVA Rated Science 10 SVA Pometon Class 1 Pometon Class</td> <td>Image France 0.000 F00 F01 Rated Capacity Power 10 VM Rated Carterin 14.5 Aac Batter France 0.000 F00 F0 Rated Carterin 14.5 Aac Batter France 0.000 F00 F0 Rated Carterin 14.5 Aac Batter France 0.000 F00 F0 Rated Carterin 14.5 Aac Batter France 0.000 F00 F0 Rated Carterin 14.5 Aac Batter France 0.000 F00 F0 Rated Carterin 14.5 Aac Batter France 0.000 F00 F0 Rated Carterin 14.5 Aac Batter France 0.000 F00 F00 F0 Rated Carterin 14.5 Aac Batter France 0.000 F00 F00 F0 Rated France 0.000 F00 F00 F00 F0 Rated France 0.000 F00 F00 F00 F00 F00 F00 F00 F00 F0</td> <td>Named Frequency 50 / 10 / 12 Rated Charged Power 10 XV Rated Charged Power 11 State Posteson Class 11 Drice State 11 State</td> <td></td>	Index of requerers 0.00 K = 0	Image frequency 00 160 Hz Rated Guptel Power 10 WV Rated Gupter Power 10 WV Rated Gupter Power 10 SVA Rated Frequency 50 560 Hz Rated Gupter Power 10 SVA Rated Gupter Power 10 SVA Rated Coupler Power 10 SVA Rated Coupler Power 10 SVA Rated Coupler Power 10 SVA Rated Science 10 SVA Pometon Class 1 Pometon Class	Image France 0.000 F00 F01 Rated Capacity Power 10 VM Rated Carterin 14.5 Aac Batter France 0.000 F00 F0 Rated Carterin 14.5 Aac Batter France 0.000 F00 F0 Rated Carterin 14.5 Aac Batter France 0.000 F00 F0 Rated Carterin 14.5 Aac Batter France 0.000 F00 F0 Rated Carterin 14.5 Aac Batter France 0.000 F00 F0 Rated Carterin 14.5 Aac Batter France 0.000 F00 F0 Rated Carterin 14.5 Aac Batter France 0.000 F00 F00 F0 Rated Carterin 14.5 Aac Batter France 0.000 F00 F00 F0 Rated France 0.000 F00 F00 F00 F0 Rated France 0.000 F00 F00 F00 F00 F00 F00 F00 F00 F0	Named Frequency 50 / 10 / 12 Rated Charged Power 10 XV Rated Charged Power 11 State Posteson Class 11 Drice State 11 State	
Name requestion 0.5 00 / L Rated Column 0.6 00 / L Rated Column 10.5 Aa c Power Factor Range 0.6 00 / L Power Factor Range 0.6 00 / L Rated Voltage 10.6 W Rated Voltage 10.6 W Rated Column 10.6 W Processor 10.6 W	Name Output Power 0.00 rd. Rated Output Power 10 sVA Rated Output Power 0.8 cap. 0.8 nd Boxer Factor Range 0.8 cap. 0.8 nd Rated Output Power 10 sWA Rated Output Power 10 sWA Rated Output Power 10 sW Rated Output Power 10 sW Rated Output Power 10 sW Power Output Power Power Power	Name: August Dower 0.0 km/z Name: August Dower 10 kW/z Name: August Dower 10 kW/z Dower Factor Range 0.8 cap - 0.8 nd D	New Factor Quark Prover 10 kVA Rated Cuprent Prover 10 kVA Rated Cuprent 145 Sa & 0.8 cap - 0.8 nd Rated Cuprent 145 Sa & 0.8 cap - 0.8 nd Rated Cuprent 145 Sa & 0.8 cap - 0.8 nd Rated Cuprent 145 Sa & 0.8 cap - 0.8 nd Rated Cuprent 145 Sa & 0.8 cap - 0.8 nd Rated Cuprent 145 Sa & 0.8 cap - 0.8 nd Rated Cuprent 145 Sa & 0.8 cap - 0.8 nd Rated Cuprent 145 Sa & 0.8 cap - 0.8 nd Rated Cuprent 145 Sa & 0.8 cap - 0.8 nd Rated Cuprent 145 Sa & 0.8 cap - 0.8 nd Rated Cuprent 145 Sa & 0.8 cap - 0.8 nd Rated Cuprent 145 Sa & 0.8 cap - 0.8 nd Rated Cuprent 145 Sa & 0.8 cap - 0.8 nd Rated Samport 166 Cap - 0.8 nd 0.8 cap - 0.8 nd Rated Rate Cuprent 186 Cap - 0.8 nd 0.8 cap - 0.8 nd Rated Rate Cuprent 186 Cap - 0.8 nd 0.8 cap - 0.8 nd Rated Rate Cuprent 186 Cap - 0.8 nd 0.8 cap - 0.8 nd Rate Rate Rate Rate Rate Rate Rate Rate	Name Topologies 0.0 km² Rated Colucit Power 10 kVA Rated Colucit Power 10 kVA Rated Colucit Power 10 kVA Rated Colucit Power 0.8 day-0.8 nd Dever Factor Range 0.9 day Overrowing Range Deversion 0.8 day Deversion Range Deversion Range	
Rated Output Power 10 kV Rated Output Power 14 5 Aa c Power Factor Rampe 0.6 aco. 0.6 ind Backup Output SILNPE: 230 / 400 Vac Rated Frequency 50 / 60 Vac Rated Frequency 14 5 Aa c Power 10 kVW Rated Current Protection Class 1 Protection Class 1 Protection Class 1 Protection Class 1 Tardformerless 1 Topology 10 II / AC III Topology	Rate Capacit Power 10 xVA Rate Capacit Power 10 xVA Rate Carrent 14 5 Aa c Power 10 xVA Rate Carrent 14 5 Aa c Power 10 xVA Rate Carrent 14 5 Aa c Power 10 xVA Rate Corrent 14 5 Aa c Power 10 xVA Rate Froquency 10 xVA Rate Corrent 14 5 Aa c Power 10 xVA Rate Corrent 14 5 Aa c Power 10 xVA Rate Corrent 14 5 Aa c Power 10 xVA Rate Corrent 14 5 Aa c Power 10 xVA Rate Corrent 14 5 Aa c Power 10 xVA Rate Corrent 10 corrent Power 10 xVA Power <t< td=""><td>Ratel Coupto Power 10 kVA Ratel Current 14.5 Aac Backup Output Backup Output Ratel Frequency 50.60 Hd Ratel Output Backup Output Ratel Frequency 50.60 Hd Ratel Output Backup Output Ratel Frequency 50.60 Hd Ratel Output Backup Output Ratel Couptup Power 10.80 W Ratel Couptup Power 10.80 W Ratel Couptup Power 14.5 Aac Protection 1956 Protection 1957 Protection 1958 Protection 1958 Protection 1950 Prot</td><td>Redic Oxport Power 10 kVA Redic Oxport I 14.5 Auc Redic Oxport I 0.8 apr. 0.8 and Redic Oxport I 14.5 Auc Protector Class 1 Pr</td><td>Rate Current 10 kW Rate Current 14 5 Aa c Poer Factor Ramp 06 dag 08 ind Backup Output SINPE : 230 / 400 Viac Rated Viange SINNE : 230 / 400 Viac Rated Strategy D1 / 40 Viac Rated Current 14 5 Aa c Pystem Protection Class Protection Class 1 Orgense Protection 196 Topology D1 // AC III Topology D1 // AC III Topology D2 // AC III Date State D2 // AC IIII Date</td><td></td></t<>	Ratel Coupto Power 10 kVA Ratel Current 14.5 Aac Backup Output Backup Output Ratel Frequency 50.60 Hd Ratel Output Backup Output Ratel Frequency 50.60 Hd Ratel Output Backup Output Ratel Frequency 50.60 Hd Ratel Output Backup Output Ratel Couptup Power 10.80 W Ratel Couptup Power 10.80 W Ratel Couptup Power 14.5 Aac Protection 1956 Protection 1957 Protection 1958 Protection 1958 Protection 1950 Prot	Redic Oxport Power 10 kVA Redic Oxport I 14.5 Auc Redic Oxport I 0.8 apr. 0.8 and Redic Oxport I 14.5 Auc Protector Class 1 Pr	Rate Current 10 kW Rate Current 14 5 Aa c Poer Factor Ramp 06 dag 08 ind Backup Output SINPE : 230 / 400 Viac Rated Viange SINNE : 230 / 400 Viac Rated Strategy D1 / 40 Viac Rated Current 14 5 Aa c Pystem Protection Class Protection Class 1 Orgense Protection 196 Topology D1 // AC III Topology D1 // AC III Topology D2 // AC III Date State D2 // AC IIII Date	
Rated Agaeneti Power 10 KVA Rated Agaeneti Power 10 KA ac Power Factor Range 0.8 dap - 0.8 ind Bardo Voltage 3 KNPE: 230 / 400 Vac Rated Voltage 50 / 00 trż Rated Oligap Power 10 KW Rated Oligap Power 10 KW Prosection Class 0 C II / AC III Ownovatage Category 0 C II / AC III Toodoky IPA: WA Composition Prosection IPA: Prosection IPA: Markowski IPA: Openovatage Category 0 C II / AC III Toodoky IPA: Prosection IPA: IPA: IPA: <tr< td=""><td>Rated Appeter Power 10 VXA Rated Appeter Power 10 S Cap - 0 S rd Bower Factor Range 0 S cap - 0 S rd Rated Voltage 30 C ob Va Rated Voltage 30 C ob Va Rated Voltage 30 C ob Va Rated Output 90 F ob Va Rated Output 90 F ob Va Rated Output 10 SW Rated Output 0 SW</td><td>Rated Apparent Power 10 V/A Newer Facto Cargent 0.8 apc - 0.8 nd Backup Output 0.8 cpc - 0.8 nd Rated Viangen 0.9 cpc - 0.8 nd Backup Output 10.9 kV/A Rated Viangen 0.9 cpc - 0.8 nd Backup Output 10.9 kV/A Rated Viangen 10.9 kV/A Rated Viangen 10.9 kV/A Rated Output 14.5 Aa.c System 1 Powerofadge Calegory 10.0 kV/A Owerofadge Calegory 10.0 kV/A Define Topic 10.0 kV/A Define Topi</td><td>Retel Arganetti Power 10 KVA Power Factor Range 0.8 cap - 0.8 nd Power Factor Range 0.8 cap - 0.8 nd Retel Viraing M.WFE: 220 400 Va.c Ratel Viraing 10 KWFE: 200 400 Va.c Ratel Coursent 14 Sb a.c Power Pactora 10 SW Ratel Coursent 14 Sb a.c Power Pactora 10 SW Ratel Coursent 14 Sb a.c Power Pactora 10 SW Ratel Coursent 14 Sb a.c Power Pactora 10 SW Ratel Coursent 10 SW</td><td>Rated Apparent Power 10 X/A Rated Apparent Power 14 5 Aa c Power Fador Range 0 8 day - 0 8 ind Backup Output Rated Voltage Rated Voltage 30 / NPE : 20 / 400 / Nac Rated Voltage 30 / NPE : 20 / 400 / Nac Rated Voltage 50 / 60 / rz Rated Voltage 10 / XW Rated Output 00 / XW Potentostage Category 01 / AC // XW Ownontage Category 01 / AC // XW Ownontage Category 02 // XW Potentostow Potentostow Potentostow Potentostow Potentostow Potentostow Potentostow Potentostow Potentostow Potentostow Potentostow Potentostow <tr< td=""><td></td></tr<></td></tr<>	Rated Appeter Power 10 VXA Rated Appeter Power 10 S Cap - 0 S rd Bower Factor Range 0 S cap - 0 S rd Rated Voltage 30 C ob Va Rated Voltage 30 C ob Va Rated Voltage 30 C ob Va Rated Output 90 F ob Va Rated Output 90 F ob Va Rated Output 10 SW Rated Output 0 SW	Rated Apparent Power 10 V/A Newer Facto Cargent 0.8 apc - 0.8 nd Backup Output 0.8 cpc - 0.8 nd Rated Viangen 0.9 cpc - 0.8 nd Backup Output 10.9 kV/A Rated Viangen 0.9 cpc - 0.8 nd Backup Output 10.9 kV/A Rated Viangen 10.9 kV/A Rated Viangen 10.9 kV/A Rated Output 14.5 Aa.c System 1 Powerofadge Calegory 10.0 kV/A Owerofadge Calegory 10.0 kV/A Define Topic 10.0 kV/A Define Topi	Retel Arganetti Power 10 KVA Power Factor Range 0.8 cap - 0.8 nd Power Factor Range 0.8 cap - 0.8 nd Retel Viraing M.WFE: 220 400 Va.c Ratel Viraing 10 KWFE: 200 400 Va.c Ratel Coursent 14 Sb a.c Power Pactora 10 SW Ratel Coursent 14 Sb a.c Power Pactora 10 SW Ratel Coursent 14 Sb a.c Power Pactora 10 SW Ratel Coursent 14 Sb a.c Power Pactora 10 SW Ratel Coursent 10 SW	Rated Apparent Power 10 X/A Rated Apparent Power 14 5 Aa c Power Fador Range 0 8 day - 0 8 ind Backup Output Rated Voltage Rated Voltage 30 / NPE : 20 / 400 / Nac Rated Voltage 30 / NPE : 20 / 400 / Nac Rated Voltage 50 / 60 / rz Rated Voltage 10 / XW Rated Output 00 / XW Potentostage Category 01 / AC // XW Ownontage Category 01 / AC // XW Ownontage Category 02 // XW Potentostow Potentostow Potentostow Potentostow Potentostow Potentostow Potentostow Potentostow Potentostow Potentostow Potentostow Potentostow <tr< td=""><td></td></tr<>	
Rate Current 14.5 Aac Power Factor Range 0.6 aco. 0.8 ind Beckup Output 30.NPE : 230 / 400 Vac Rated Frequency 50 / 60 Hz Rated Frequency 50 / 60 Hz Rated Frequency 50 / 60 Hz Rated Current 14.5 Aac Pystem 14.5 Aac Protection 19.6 W.W. Rated Current 14.5 Aac Pystem 14.5 Aac Protection 19.6 W.W. Rate Current 14.5 Aac Topology D1 I AC III Topology D2 II AC III Topology D3 II AC III Topology D3 II AC III <td< td=""><td>Rated Current 145 Aa C Power Fractor Range 0.8 cage - 0.8 nd Backup Output Rated Fractor Range 9.9 co 14 c Rated Fractor Range 9.9 co 14 c Rated Fractor Range Rated Fractor Range 10.9 W Rated Fractor Range 10.9 W Rated Fractor Range 10.9 W Rated Fractor Range 10.9 W Rated Current 145 Aa C 1 10.0 W Power 10.9 W Rated Current 145 Aa C 10.0 W Power 10.9 W Rated Current 145 C 10.0 W Power 10.0 W Rated Current 145 C 10.0 W Power 10.0 W Rated Current 145 C 10.0 W Power 10.0 W Rated Current 14.5 C 10.0 W Power 10.0 W Rated Current 10.0 M 10.0 M 10.0 M Power 10.0 W Rated Power 10.0 M 10.0 M 10.0 M 10.0 M 10.0 M Power 10.0 W Rated Power 10.0 M Rated Power 10.0 M 10.0</td><td>Read Current 14.5 Apc Backup Output MANPE; 230.7400 Vac Read Voltagie 9.0 /60 hz Read Voltagie 9.0 /60 hz Read Current 14.3 Apc Protection Class 1 Order State 1 Protection Class 1 Protection Clas</td><td>Reted Current 19.5 Apc - 0.6 nd Backup Ottput NUNPE: 220 / 400 Vac Rated Frequency 90.90 / 160 / 16 Backup Ottput 19.5 Apc Rated Frequency 10.5 Apc Parter Store Callas 1 Orner Markup 10.5 Apc Parter Store Callas 1 Orner Markup 10.6 Markup Parter Store Callas 1 Parter Store Callas 1</td><td>Rate Current 14.5 Aac Power 9.0 & dag. 0.8 ind Backup Output SUNPE : 20 / 400 Vac Rated Voltage SUNPE : 20 / 400 Vac Rated Voltage 9.0 & 00 Hz Rated Frequency 50 / 60 Hz Rated Frequency 10 VW Rated Frequency 10 VW Rated Frequency 10 VW Rated Current 14.5 Aac System Protection Class Protection Class 1 Orochage Category Dil I / AC III Topology Dil / AC III Dil / AC III DIL / AC III Dil / AC III DIL / AC III</td></td<> <td></td>	Rated Current 145 Aa C Power Fractor Range 0.8 cage - 0.8 nd Backup Output Rated Fractor Range 9.9 co 14 c Rated Fractor Range 9.9 co 14 c Rated Fractor Range Rated Fractor Range 10.9 W Rated Fractor Range 10.9 W Rated Fractor Range 10.9 W Rated Fractor Range 10.9 W Rated Current 145 Aa C 1 10.0 W Power 10.9 W Rated Current 145 Aa C 10.0 W Power 10.9 W Rated Current 145 C 10.0 W Power 10.0 W Rated Current 145 C 10.0 W Power 10.0 W Rated Current 145 C 10.0 W Power 10.0 W Rated Current 14.5 C 10.0 W Power 10.0 W Rated Current 10.0 M 10.0 M 10.0 M Power 10.0 W Rated Power 10.0 M 10.0 M 10.0 M 10.0 M 10.0 M Power 10.0 W Rated Power 10.0 M Rated Power 10.0 M 10.0	Read Current 14.5 Apc Backup Output MANPE; 230.7400 Vac Read Voltagie 9.0 /60 hz Read Voltagie 9.0 /60 hz Read Current 14.3 Apc Protection Class 1 Order State 1 Protection Class 1 Protection Clas	Reted Current 19.5 Apc - 0.6 nd Backup Ottput NUNPE: 220 / 400 Vac Rated Frequency 90.90 / 160 / 16 Backup Ottput 19.5 Apc Rated Frequency 10.5 Apc Parter Store Callas 1 Orner Markup 10.5 Apc Parter Store Callas 1 Orner Markup 10.6 Markup Parter Store Callas 1	Rate Current 14.5 Aac Power 9.0 & dag. 0.8 ind Backup Output SUNPE : 20 / 400 Vac Rated Voltage SUNPE : 20 / 400 Vac Rated Voltage 9.0 & 00 Hz Rated Frequency 50 / 60 Hz Rated Frequency 10 VW Rated Frequency 10 VW Rated Frequency 10 VW Rated Current 14.5 Aac System Protection Class Protection Class 1 Orochage Category Dil I / AC III Topology Dil / AC III Dil / AC III DIL / AC III Dil / AC III DIL / AC III	
Power Factor Range 0.6 cap. 0.8 ind Break Voltage 3LNPF 230 / 400 Vac Ranket Voltage 3LNPF 230 / 400 Vac Ranket Voltage 10 KW Ranket Outgut Power 11 / 60 Hz Overontage Category D H / AC H Overontage Category D H / AC H Overontage Spredection WE Weiter Weiter Weiter C C C Weiter Weiter Veiter Weiter Weit	Power Factor Range 0.8 cap - 0.8 nd Backey Dutput Rated Voltage Rated Voltage 50.6 0 br Rated Colgant Power 10.8 W Postection Class 1 Overvoltage Category Torsteformeres Postection Class 1 Overvoltage Category Torsteformeres Index Colgant Power 10.8 W Option Postection 10.8 W Data Post	Power Factor Range (0 for pr 0 and	Power Factor Range (0 8 cp 0 8 nd) Rated Voltage SUNPE; 220 / 400 Va.c Rated Voltage 19 Nd Protector Class 0.11 / AC III Overvoltage Category 0.11 / AC III Detage Overvoltage Category 0.11 / AC III <td< td=""><td>Power Factor Range 0.6 cap-0.8 nd Brade Voltage 3LNPE : 201 / 400 Vac Rated Voltage 10 kW Rated Output 10 kW Protection Class 1 Overvoitage Category Tainformetes Tospess Protection 1965 Image Category Tainformetes Testsetson Class Image Testsetson Class Image Testsetson Class Image Images Protection 1965 Images Protection 1965 Images Protection 1965 Images Protection Image Images Protection Image</td><td></td></td<>	Power Factor Range 0.6 cap-0.8 nd Brade Voltage 3LNPE : 201 / 400 Vac Rated Voltage 10 kW Rated Output 10 kW Protection Class 1 Overvoitage Category Tainformetes Tospess Protection 1965 Image Category Tainformetes Testsetson Class Image Testsetson Class Image Testsetson Class Image Images Protection 1965 Images Protection 1965 Images Protection 1965 Images Protection Image	
Beckup Output Rated Votage 3L/NPE: 230 / 400 Va.c Rated Votage 19 / 80 Rated Frequency 19 / 80 Protection Class 1 Topology 1 1 Bit Protection 196 10 Protection Class 1 1 Protection Class 1 1 Protection Class 1 1 Protection Class 1 1 Protection Class 1 1 1 Dots to tot	Backup Output Rated Frequency 10 sW Rated Frequency 10 sW Rated Frequency 10 sW Rated Current 14 5 Aa c System Protection Class Protection Class 0 Oppology Transformeries Topology Transformeries Protection Class 0 Out / AC III Transformeries Topology Transformeries Topology Transformeries Topology Weith Weith Weith Transformeries Topology Weith Weith Weith Transformeries Topology Weith Weith Transformeries <	Backup Output Rated Voltagie SLNAPE; 220 / 400 Va.e. Rated Voltagie 90 / 60 Hz Rated Frequency 90 / 60 Hz Rated Create 14.3 Aa c. Protection Class 1 Protectin Class	Backer Voltage SI. NAPRE; 230 / 400 Va. Rated Voltage 95 / 60 Hz Rated Creater 14.3 Aa c Parted Carger Voltage 190 Parted Carger Voltage <td< td=""><td>Beckup Output Rated Voltage 3J.NPE: 230 / 400 Va.c Rated Treguency 50 / 60 Hz Rated Treguency 10 XW Rated Current 14.5 Aa.c System Protection Class Protection Class 1 Overlage Category DEI / AC III Topology DEI / AC III Text: =86 (0) 513 406 068 91 EMM DERM 1 DEM 2 DRM 1 DRM 2 DRM 3 DRM 3 DRM 1 DRM 4 DRM 3 Made in China MAC : MAC : Made in China Checok Code : Check Code : DEM 5</td><td></td></td<>	Beckup Output Rated Voltage 3J.NPE: 230 / 400 Va.c Rated Treguency 50 / 60 Hz Rated Treguency 10 XW Rated Current 14.5 Aa.c System Protection Class Protection Class 1 Overlage Category DEI / AC III Topology DEI / AC III Text: =86 (0) 513 406 068 91 EMM DERM 1 DEM 2 DRM 1 DRM 2 DRM 3 DRM 3 DRM 1 DRM 4 DRM 3 Made in China MAC : MAC : Made in China Checok Code : Check Code : DEM 5	
Rated Voltage SL/NEF, 230 / 400 Vac Rated Voltage 90 frz Rated Output Power 10 kW Rated Output Power 10 kW Partiel Current 14 5 Aac System 10 kW Partiel Control Current 14 5 Aac System 10 kW Partiel Control Current 14 5 Aac Partiel Control Current 14 5 Aac Partiel Control Control Current 14 5 Aac Partiel Control Current 14 5 Aac Partiel Control Current 14 5 Aac Partiel Control Control Current 16 5 Aac Partiel Control Control Control Current 16 5 Aac Partiel Control Control Current 10 cm/2 (L) Partiel Control Current 10 cm/4 (L) cm/2 (L) Partiel Control Current 10 cm/4 (L) cm/4 (L) Partiel Control Current 10 cm/4 (L) cm/4 (L) cm/4 (L) Partiel Control Current	Rated Votage SUMPE: 201 400 vs.c Rated Colgant Present 95 60 Hz Rated Colgant Present 19 8W Predection Class I Overvoltage Category Transformetess Indexton Class I Overvoltage Category Transformetess Indexton Class I Overvoltage Category Transformetess Indexton Class I Overvoltage Category Transformetess Ingress Pretection IPP6 I	Raid Voltage MAPE: 201400 Vac Raid Corput 19 AW Protection 10 AW Protection	Rated Votagie SUMPE: 201400 Vac Rated Carget 19 SW Rated Carget 19 SW Operation Classic 14 S A a C System Projection Classic Operation Classic Difference Operation Difference Difference Difference	Rated Voltage SL/NEF, 230 / 400 Vac Rated Voltage 90 ftz Rated Output Power 10 kW Rated Output Power 10 kW Particle Current 14 5 Aa cc System Portection Class Portection Class 1 Ornerolage Calagory Transformetess Integers Protection IP65 Integers Protection IP67 Integers Protection IP67 Integers Protection IP67 Integers Protection IP68 Integers Protection IP68 Integers Protection IP68 Integers Protection IP68 Inte	
Rate Frequency 50 / 60 Hz Rate Current 14 5 Aa c System 14 5 Aa c Protection Class 1 Torology DEI / AC III Dei AC III DEI / AC III Torology DEI / AC III Dei AC III DEI / AC III Dei AC IIII DEI / AC III DEI / AC III DEI / AC IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	Rate of Frequency 50 / 60 / 14 Rate of Current 14 5 Aa c System 14 5 Aa c Protection Class 1 Topology DI // AC III Topology Tensformeriess Ingress Protection 1965 Ingress Protection 1975 Ingress Protection 1975 Ingress Protection 1976	Rated Frequency 90 (60 hz Rated Current 14.3 Aa c Rated Current 14.3 Aa c Protection Class 1 Orderbage Class 1 Protection Class 1 Topology Cl II / AC III Topology Transformetes Ingress Protection PGS Image: Strategy of the strateg	Rited Frequency 90 / 60 / 12 Red Corrent 14.3 Aa c Portection Calass 1 Opportunities 196 Portunities	Rate Frequency 50 / 60 Hz Rate Current 19 / 5 Aa c System 11 / 5 / 5 / 6 / 6 Protection Class 1 Oraction Class 0 / 1 / 7 / 1 / 1 Topology Cell / AC II Topology Cell / AC III Text:=86 (0) 513 406 068 91 E BAD: No: 106 Bihua Food. Topptou District. Topptou Oxitrict. No: 100 (chi, Jangey Horonoc. 235000, PR. China E DRM 1 DRM 2 DRM 3 DRM 2 DRM 4 DRM 3 DRM 5 DRM 4 DRM 4 Made in China Ma	
Rate Current 10 kW Rate Current 14 5 Aa c System Production Class 1 Overvelage Category Del I AC III 1 Overvelage Category Tackmorneless 1 Overvelage Category Del I AC III 1 1 Overvelage Category Tackmorneless 1 1 1 Overvelage Category Del I AC III 1	Rated Cuprent 19 MW Protection Class 1 Protection Class 0 Overnotage Category Transformeriess Ingress Protection 1P65 Ingress Protection 1P67	Raid Current 19 AW Raid Current 14 S A ac System 10 M Overvolage Calegory D (I / AC III) Typess Protection P65 Image: Control of the second calegory Protection Image: Control of the second calegory Image: Control of the second calegory Image: Control of the second calegory Image: Control of the second calegory Image: Control of the second calegory Image: Control of the second calegory Image: Control of the second calegory Image: Control of the second calegory Image: Control of the second calegory Image: Control of the second calegory Image: Control of the second calegory Image: Control of the second calegory Image: Control of the second calegory Image: Control of the second calegory Image: Control of the second calegory Image: Control of the second calegory Image: Control of the second calegory Image: Control of the second calegory Image: Control of the second calegory Image: Control of the second calegory Image: Control of the second calegory Image: Control of the second calegory Image: Control of the second calegory Image: Control of the second calegory Image: Control of the second calegory Image: C	Rete Current 19.84 a.c. System 14.54 a.c. Overvolage Calegory Oct II / A.C.II Overvolage Calegory Total Statementers Impress Protection IPS Impressinters IPS <	Rate Current 10 kW Patted Current 14 5 Aa c System Protection Class Powerolage Category Transformetess ingress Protection UP65 Impress Protection UP66 Impress Protection UP67 Impress Protection UP	
Rate Current 14 5 Aa c System 1 Protection Class 1 Topology DEI / AC III Topology Transformerless Impress Protection IP6 Impress Protection IP7 Impress Impress Impression Impression Impression IP7	Rated Current 145 Aa C 9 Protection Class 1 1 0 0.01 // AC III 1 1 1 1 1 1 1 1 0 0.01 // AC III 1 1 1	Raid Current 14.5 A.a.c Protection Class 1 Topology Transformeries Ingress Protection PRS Image: Strateging of the strateging	Reted Current 15 A AC Protection Class 1 Topology Transformeries Impresentation IPS Impresentation Impresentation Impresentation <td>Rate Current 14.5 Aa.c 974stein 1 Protection Class 1 Ownordage Category DCI I/ AC III Topology Transformerless Impress Protection IPG IP</td> <td></td>	Rate Current 14.5 Aa.c 974stein 1 Protection Class 1 Ownordage Category DCI I/ AC III Topology Transformerless Impress Protection IPG IP	
System 1 Overvolage Caligory Transformetess Impress Protection 1P65 Impress Protection 1P65 Impress Protection Impress Impress Protection Impress <td>System Protection Class 1 Overvoltage category Toralsometries Ingress Protection IPPS Image: Protection Image: Protection Image: Protection Image: Protection Image: Protection Image: Protection Image: Protection Image: Protection Image: Protection Image: Protection Image: Protection Image: Protection</td> <td>System I Overvolage Calegory Oc II / A C III Overvolage Calegory Transformeters ingress Protection PPS Image: Control of the control of the</td> <td>System Overvolage Calegory Overvolage Calegory Overvolage Calegory Overvolage Calegory Transformerless Ingress Protection IPS Image Calegory Transformerless Image Calegory Image Calegory Image Calegory Image Calegory</td> <td>System 1 Overonlage Calagory Transformerless ingress Protection 1965 Impress Protection 1966 Impress Protection 1966 Impress Protection 1967 Impress Protection 1968 Impress Protection 10 Impress Prowinco. 10 <</td> <td></td>	System Protection Class 1 Overvoltage category Toralsometries Ingress Protection IPPS Image: Protection Image: Protection Image: Protection Image: Protection Image: Protection Image: Protection Image: Protection Image: Protection Image: Protection Image: Protection Image: Protection Image: Protection	System I Overvolage Calegory Oc II / A C III Overvolage Calegory Transformeters ingress Protection PPS Image: Control of the	System Overvolage Calegory Overvolage Calegory Overvolage Calegory Overvolage Calegory Transformerless Ingress Protection IPS Image Calegory Transformerless Image Calegory Image Calegory	System 1 Overonlage Calagory Transformerless ingress Protection 1965 Impress Protection 1966 Impress Protection 1966 Impress Protection 1967 Impress Protection 1968 Impress Protection 10 Impress Prowinco. 10 <	
Protection Class 1 Topology CI I/ AC II Topology Transformeries Impress Protection IPG Impress Protection IPG Impress Protection IPG Impress Protection IPG Impress Protection Impress Protection Impress Protection Im	Protection Class 1 1 1	Protection Class 1 Topology Transformentes Ingress Protection IPB Image: Protection IPB Image: I	Potecion Case 1 Topology Tansformeries Ingress Motecian IPS Images Motecian Image Motecian Images Motecian Image Motecian Images Motecian Image Motecian Image Motecian <	Protection Class 1 □ Topology D II / AC II □ Topology Transformeries Impress Protection IPGS Impress Protection IPGS Impress Protection IPGS Impress Protection IPGS Impress Protection Impress Protection Impress Protection	
Overvoltage: Call AC III Topology Transformetess Ingress Protection IP85 IP85 IP85 IP86 IP86 IP86 IP86 IP87 IP86 IP86 IP87 IP86 IP87 IP87 IP86 IP88 IP87 IP88 IP88 IP88 IP88<	Ownodlage Category Cl #1/AC III Topology Topisonellas Ingress Protection IPPS Ingress Protection IPPS Impress Protection IPPS Impress Protection IPPS Impress Protection Impression Impress Protection Impression Impression Impression	Overvoltage CI // AC III Topology Press Ingress Protection Press Image: Construction Press Image: Construction Image: Construction Image: Construction Im	Overvoltage Chi /A C	Overrorlage Callgory DC II / AC III Topology Transformetes Ingress Protection IP85 Impress Protection IP85 Impress Protection Impress Protection Impress Protection Impress Province. 225300. PR. China Impress Province. 225300. PR. China Impress Province. 225300. PR. China Impress Province. 225300. PR. China Impress Impress Province. 225300. PR. China Impress Province. 225300. PR. China Impress Impress Province. 225300. PR. China Impress Province. 225300. PR. China Impress Impress Province. 225300. PR. China Impress Province. 225300. PR. China Impress Impress Province. 225300. PR. China Impress Provi	
Topology Transformer(ss) Impress Protection Impress Protection Impress Protection Impress Protection Impress Protection Impress Protection Impress Protection Impress Protection Impress Protection Impress Protection Impress Protection Impress Protection Impress Protection Impress Protection Impress Protection Impress Protection Impress Protection Impress Protection Impress Protection Impress Protection Impress Protection Impress Protection Impress Protection Impress Protection Impress Protection Impress Protection Impress Protection Impress Protection Impress Protection Impress Protection Impress Protection Impress Protection Impress Protection Impress Protection Impress Protection Impress Protection Impress Protection Impress Protection Impress Protection Impress Protection Impress Protection Impress Protection Impress Protection Impress Protection Impress Protection Impress Protection Impress Protection Impress Protection Impress Protection Impress Protection Impress Protection Impress Protecti	Topology Transformentes Ingress Protection IPOS IPOS IPOS	Totology Transformatics ingress Protection IPS Improved Protection Improved Protection	TestSements Invest Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Ima	Topology Transformer(ess) ingresses Protection Improved Protection Improved Protection Improved Protection	
Imperson IPPS Imperson Imperson Imperson	Impress Protection IPP6 Image: A state of the state of	Ingress Protection Prist Image: Construction of the state of the sta	Imprese Protection Imprese Protection Image: Construction Image: Construction Image: Constret Image: Construction	Imperson IPPS Image: A state of the state	
Image: A state of the stat	Image: Non-State State	Image: A state of the stat	Image: Arrow of the control of the contr	Image: A state of the stat	
SN :	SN : MAC :	Made in China SN : MAC : Check Code :	Made in China SN : MAC : Check Code :	Made in China SN : MAC : Check Code :	
SN:	SN: MAC:	SN: MAC: Check Code:	SN: MAC: Check Code:	SN: MAC: Check Code:	
MAC		MAC: Check Code:	MAC: Check Code:	MAC: Check Code:	
	Obert O. I.	Check Code:	Check Code:	Check Code:	
Check Code:	Uneck Gode:				

Stap 5:

Niet alle gegevens hoeven verplicht te worden ingevuld, maar dit kan wel handig zijn in het geval er een beroep wordt gedaan op support. Naast het Serienummer en de Check Code zijn verplicht het Land en de Tijdzone. Vul hier in (in de regel) Nederland en (UTC+1) Amsterdam



Stap 6:

Zet vinkjes bij tenminste de eerste twee condities (l agree) anders kun je de app niet gebruiken. Het derde vinkje is optioneel en heeft betrekking op het wel of niet automatisch toestaan dat je thuisbatterij wordt ge-update. Let wel, dit kan ook gebeuren op een moment dat het niet goed uitkomt. Bevestig vervolgens de ingevulde gegevens en klik op OK

End user Registration ← Installation date(optional) 🥐 Installation date We ask you for the information above in order to provide to you our APP Monitoring Services, such as emergency calls, accurate weather data and after sales services. The consent can be withdrawn at any time for the future, but without affecting the lawfulness of the processing of your data based on your consent before its withdrawal. You can find more information about this here. I agree to the APP provider processing the above data for the purposes mentioned. I give this consent voluntarily. I am aware that I am not legally or contractually obligated to give this consent. If I do not give this consent, this will only have the consequence that I cannot use AlphaESS APP. I agree to the 《 Terms and **Conditions** for the use of this APP 🔵 Agree 《Auto Update》 Submit



Stap 7:

Als je de registratie hebt doorlopen ontvang je een mail vanuit AlphaESS (check ook je spambox als deze niet in je inbox staat) en bevestig je mailadres. Daarna kun je direct door naar de login pagina. Tenslotte ontvang je nog een email ter bevestiging van een succesvolle registratie.



Stap 7:

Je kunt de AlphaESS app nu gebruiken door je mailadres en je wachtwoord in te vullen in de app. Of ga naar: https://cloud.alphaess.com/login om de desktopversie van de AlphaCloud applicatie te gebruiken.

Wij wensen je vele energieke jaren met je AlphaESS thuisbatterij!

